

## LSK 120 Hydraulic hole punching head - basic tool



- ▶ Fast and precise cutting
- ▶ Punching in just a few seconds
- ▶ Compact design permits working in tight areas

### Suitable for

- Aluminium, copper and steel with a tensile strength to 470 N/mm<sup>2</sup> to 10 mm thick
- Hole diameters: 6.5 - 17 mm
- Centric punching: 120 mm max. material width
- Drive with EHP 4 and AHP 700-L

### Additional information

- Drive with EHP 4 and AHP 700-L available; adapter CMGSK required

#### Technical data

Max. operating pressure max. 700 bar

Max. compressive force 160 kN

Dimension 234 x 174 x 88 mm

Weight 9.5 kg

Item	Part No.	
Hydraulic hole punching head LSK 120	<b>50052110</b>	
Accessories	Part No.	Page
Perforated die 6.5 mm dia.	50052276	480
Punch and die 8,5 mm dia.	50052284	480
Punch and die 11 mm dia.	50052292	480
Punch and die 13 mm dia.	50052306	480
Punch and die 15 mm dia.	50052314	480
Punch and die 17 mm dia.	50052322	480

## Slug Buster® punch set for all applications from ISO 16 - 40



### Suitable for

- Mild steel (St37), plastic and aluminium up to 3.5 mm

### Operation

- Manual

### Predrilling

- Draw stud 9.5 mm dia., pilot drill 9.7 mm dia. 50360183  
draw stud 19.0 mm dia., pilot drill 20.5 mm dia. 50344030

Item	Part No.	
Slug Buster® punch set ISO 16 to 40	<b>50366920</b>	
Scope of supply	Part No.	Page
Slug Buster® punch set ISO 16/20/25/32/40	50356178SET	454
Draw studs for manual operation 9.5 x 40 mm	50000420	423
Draw studs for manual operation 19.0 x 55 mm	50040405	423
Ratchet	50349414	
Kwik Stepper™ step bit 9.7 mm	50360183	466
Plastic case	50366858	



### Slug Buster® punch set for all applications from PG 9 to PG 21 and 30.5 mm



#### Suitable for

- Mild steel (St37), plastic and aluminium up to 3.5 mm

#### Operation

- Manual

#### Predrilling

- Draw stud 9.5 mm dia., pilot drill 9.7 mm dia. 50360183  
draw stud 19.0 mm dia., pilot drill 20.5 mm dia. 50344030

Item	Part No.	
Slug Buster® punch set PG 9 to PG 21 and 30.5 mm	<b>50366904</b>	
Scope of supply	Part No.	Page
Slug Buster® punch set PG 9 - 21, 30.5 mm	50323989SET	455
Draw studs for manual operation 9.5 x 40 mm	50000420	423
Ratchet	50349414	
Kwik Stepper™ step bit 9.7 mm	50360183	466
Plastic case	50366858	

### Slug Buster® punch set for ISO 16 - 63



#### Suitable for

- Mild steel (St37), plastic and aluminium up to 3.5 mm

#### Operation

- Manual

#### Predrilling

- Draw stud 9.5 mm dia., pilot drill 9.7 mm dia. 50360183  
draw stud 19.0 mm dia., pilot drill 20.5 mm dia. 50344030

Item	Part No.	
Slug Buster® punch set ISO 16 to 63	<b>50366939</b>	
Scope of supply	Part No.	Page
Slug Buster® punch set ISO 16 - 63	50068920SET	454
Draw studs for manual operation 9.5 x 40 mm	50000420	423
Draw studs for manual operation 19.0 mm x 75 mm	50040421	423
Ratchet	50349414	
Kwik Stepper™ step bit 9.7 mm	50360183	466
Plastic case	50366858	

## Slug Buster® punch set for all applications from PG 9 - 48 and 30.5 mm



### Suitable for

- Mild steel (St37), plastic and aluminium up to 3.5 mm

### Operation

- Manual

### Predrilling

- Draw stud 9.5 mm dia., pilot drill 9.7 mm dia. 50360183  
draw stud 19.0 mm dia., pilot drill 20.5 mm dia. 50344030

Item	Part No.	
Slug Buster® punch set PG 9 to PG 48 and 30.5 mm	<b>50366912</b>	
Scope of supply	Part No.	Page
Draw studs for manual operation 9.5 x 40 mm	50000420	423
Draw studs for manual operation 19.0 x 55 mm	50040405	423
Ratchet	50349414	
Slug Buster® punch set PG 9 - 48, 30.5 mm	50328034SET	455
Plastic case	50366858	

## Speed Punch™ Set ISO 16 – 40



- ▶ Up to 3-times faster than conventional punching tools
- ▶ Easy and quick handling as the screwing and unscrewing of the counter nut is not required
- ▶ Compatible with all Greenlee hand-operated and battery powered hydraulic tools
- ▶ No greasing of the draw stud required

### Suitable for

- Mild steel (St37), plastic and aluminium up to 3.5 mm

### Operation

- Hydraulic

### Predrilling

- Draw stud 9.5 mm dia., pilot drill 9.7 mm dia. 50360183  
draw stud 19.0 mm dia., pilot drill 20.5 mm dia. 50344030

### Scope of supply

- Complete system including draw stud, cramp, punch and die incl. plastic case

Item	Part No.	
Speed Punch™ punch set ISO 16/20/25/32/40	<b>52055439SET</b>	
Scope of supply	Part No.	Page
Punch and die ISO 16 (16.2 mm)	52055431	422
Punch and die ISO 20 (20.4 mm)	52055432	422
Punch and die ISO 25 (25.4 mm)	52055434	422
Punch and die ISO 32 (32.5 mm)	52055435	422
Punch and die ISO 40 (40.5 mm)	52055436	422
Speed Lock and draw stud 9.5 mm for ISO 16/20/25 and PG 16	52055439	422
Speed Lock and draw stud 19.0 mm for ISO 32/40/50/63	52055440	422
Plastic case	KKSPISO16B63	
Accessories	Part No.	Page
Plastic case	KKSPISO16B63	